



DEWALT®

HIGH PERFORMANCE INDUSTRIAL TOOLS



DEWALT
SERVICE 

3 YEAR
LIMITED
WARRANTY
GUARANTEED
TOUGH.

GRINDER

HOT SALE



10634577
CORDLESS GRINDER 100MM
20V DCG405P2-B1

Bare Unit :
DCG405N-B1

10640608
CORDLESS GRINDER 100MM
20V DCG407P2T-B1



10640431
CORDLESS GRINDER 125MM
60V DCG418X2-B1

Bare Unit :
DCG418N-KR

Model	DCG405P2-B1	DCG407P2T-B1	DCG418X2-B1
Article	10634577	10640608	10640431
Voltage	18/20 V	18/20 V	54/60 V
Max. Disc (Ø)	100 mm	100 mm	125 mm
No Load Speed	9.000 Rpm	9.000 Rpm	9.000 Rpm
Spindle Thread	M10 with Lock Spindle	M10 with Lock Spindle	M10 with Lock Spindle
Switch Type	Slide	Slide	Trigger
Battery Include	2 Pcs x 5 Ah	2 Pcs x 5 Ah	2 Pcs x 9 Ah Flexvolt
Dimension (Tool Only)	310 x 160 x 130 mm	330 x 171 x 141 mm	326 x 82 x 99 mm
Weight (Tool Only)	1.74 Kg	2.21 Kg	2.18 Kg

DRILL DRIVER

HOT SALE



10640585
CORDLESS DRILL 12V
DCD700S2A-B1



10632310
CORDLESS DRILL 20V
DCD7771D2-B1

Bare Unit :
DCD7771N-KR

10632124
CORDLESS DRILL 20V
DCD708L2-B1



Model	DCD700S2A-B1	DCD7771D2-B1	DCD708L2-B1
Article	10640585	10632310	10632124
Voltage	12V	18/20V	18/20V
Max. Torque (Soft/ Hard)	15/ 24 Nm	26/ 65Nm	26/ 65 Nm
No Load Speed	400/1.500 Rpm	500/ 1.750 Rpm	450/ 1.650 Rpm
Max. Drilling Capacity [Wood/ Metal]	20/ 10 mm	30/13 mm	35 / 13 mm
Battery Include	2 Pcs x 1.5 Ah	2 Pcs x 2Ah	2 Pcs x 3Ah
Dimension (Tool Only)	185 x 195 mm	192 x 198 mm	160 x 198 mm
Weight (Tool Only)	0.9 Kg	1.1 Kg	1.1 Kg

IMPACT DRILL

HOT SALE



10629142
CORDLESS IMPACT DRILL 12V
DCD716S2K-B1



10640586
CORDLESS IMPACT DRILL 12V
DCD706D2A-B1

Bare Unit :
DCD706N-KR

HOT SALE



10632122
CORDLESS IMPACT DRILL 20V
DCD7781D2-B1

Bare Unit :
DCD778N-KR

10640587
CORDLESS IMPACT DRILL 20V
DCD709P2-KR

Bare Unit :
DCD709N-KR

Model	DCD716S2K-B1	DCD706D2A-B1	DCD7781D2-B1	DCD709P2-KR
Article	10629142	10640586	10632122	10640587
Voltage	12 V	12V	18/20V	18/20V
Max. Torque (Soft/ Hard)	16/ 30 Nm	25/ 57 Nm	26/ 65 Nm	26/ 65 Nm
No Load Speed	400/1.500 Rpm	425/ 1.500 Rpm	500/ 1.750 Rpm	450/ 1.650 Rpm
Impact Rate	6.000/ 22.500 Bpm	7.225/ 25.500 Bpm	8.500/ 29.750 Bpm	7.650/ 28.060 Bpm
Max. Drilling Capacity [Wood/ Metal/Masonry]	20/ 10/ 8 mm	20/ 10/ 10 mm	30/ 13/ 13 mm	30/ 13/ 13 mm
Battery Capacity	2 Pcs x 1.5 Ah	2 Pcs x 2Ah	2 Pcs x 2Ah	2 Pcs x 5Ah
Dimension (Tool Only)	200 x 210mm	168 x 168mm	204 x 198mm	173 x 194 mm
Weight (Tool Only)	0.98 Kg	1.0 Kg	1.2 kg	1.1 Kg



IMPACT DRILL



10634456
CORDLESS IMPACT DRILL 18V
DCZ100P2KT-QW



10632372
CORDLESS IMPACT DRILL 18V
DCD100M1T-QW



10629143
CORDLESS IMPACT DRILL 20V
DCD805D2T-B1



10632320
CORDLESS IMPACT DRILL 20V
DCD999T1-B1



Bare Unit:
DCD999N-B1

Model	DCZ100P2KT-QW	DCD100M1T-QW	DCD805D2T-B1	DCD999T1-B1
Article	10634456	10632372	10629143	10632320
Voltage	18/20V	18/20V	18/20V	18/20V
Max. Torque (Soft/ Hard)	26/ 65Nm	26/ 68 Nm	27/ 90 Nm	67/ 126 Nm
No Load Speed	450/ 1.650 Rpm	450/ 1.650 Rpm	650/ 2.000 Rpm	450/ 1.300 / 2.000 Rpm
Impact Rate	0 - 7.650/ 0 - 28.050 Bpm	0 - 7.650/ 28.050 Bpm	0 - 11.050/ 34.000 Bpm	0 - 8.600/ 25.500/ 38.250 Bpm
Max. Drilling Cap. [Wood/ Metal/Masonry]	30/13/13 mm	30/13/13 mm	38/ 13/ 13 mm	55/15/13 mm
Battery Include	2 Pcs x 5 Ah	1 Pcs x 4 Ah	2 Pcs x 2Ah	1 Pcs x 6Ah Flexvolt
Dimension (Tool Only)	177 x 210mm	177 x 210mm	177 x 210mm	210 x 215mm
Weight (Tool Only)	1.20 Kg	1.15 Kg	1.3 Kg	1.6 Kg

ROTARY HAMMER



10640536
CORDLESS ROTARY HAMMER
20V DCH172E1T-B1



Bare Unit:
DCH172N-KR



10640415
CORDLESS ROTARY HAMMER
20V DCH273P1T-B1



Bare Unit:
DCH273B



10634024
CORDLESS ROTARY HAMMER
54V DCH333X2-KR



Model	DCH172E1T-B1	DCH273P1T-B1	DCH333X2-KR
Article	10640536	10640415	10634024
Voltage	18/20V	18/20V	54/60V
Impact Energy	1,4 J	2,1 J	3.5 J
Operation Modes	Rotary Hammering, Drilling	Rotary Hammering, Drilling, Chipping	Rotary Hammering, Drilling, Chipping
No Load Speed	1.060 Rpm	1.100 Rpm	1.000 Rpm
Impact Rate	4.980 Bpm	4.600 Bpm	4.480 Bpm
Max. Drilling Cap. [Wood/ Metal/Concrete]	16 / 10/10 mm	26/13/24 mm	30/13/30 mm
Battery Include	1 Pcs x 1.7Ah Powerstack	1 Pcs x 5Ah	2 Pcs x 9 Ah Flexvolt
Dimension (Tool Only)	265 x 176 mm	301 x 202mm	400 x 250 x 95 mm
Weight (Tool Only)	1.8 Kg	2.5 Kg	3.7 Kg



IMPACT DRIVER



10634349
CORDLESS IMPACT DRIVER
12V DCF805D2A-B1



10632322
CORDLESS IMPACT DRIVER
DCF7871D2-B1



10629925
CORDLESS IMPACT DRIVER
20V DCF850D2A-B1



Bare Unit:
DCF850N-KR



10640534
CORDLESS IMPACT DRIVER
20V DCF860D2A-B1



Bare Unit:
DCF860N-B1



10634451
CORDLESS IMPACT DRIVER
20V DCF860E1T-B1



Bare Unit:
DCF860N-B1

Model	DCF805D2A-B1	DCF7871D2-B1	DCF850D2A-B1	DCF860D2A-B1	DCF860E1T-B1
Article	10634349	10632322	10629925	10640534	10634451
Voltage	12V	18/20V	18/20V	18/20V	18/20V
Max. Torque	107 Nm	170 Nm	206 Nm	282 Nm	282 Nm
No Load Speed	600 Rpm	2.800 Rpm	3250 Rpm	3.800 Rpm	3.800 Rpm
Impact Rate	3.400 lpm	3.200 lpm	3800 lpm	4.500 lpm	4.500 lpm
Bit Holder Size	1/4 IN	1/4 IN	1/4 IN	1/4 IN	1/4 IN
Battery Include	2 Pcs x 2 Ah	2 Pcs x 2 Ah	2 Pcs x 2 Ah	2 Pcs x 2 Ah	1 Pcs x 1.7 Ah Powerstack
Dimension (Tool Only)	158 x 195mm	140 x 192mm	143 x 213mm	140 x 192mm	120 x 210mm
Weight (Tool Only)	0.7 Kg	1.1 Kg	1 Kg	1.1 Kg	1 Kg

IMPACT WRENCH



10643642
CORDLESS WRENCH 12V
1/2IN DCF901P1G-QW



10643641
CORDLESS WRENCH 20V
1/2IN DCF921P1-B1



HOT SALE



10630255
CORDLESS WRENCH
1/2IN DCF922M2-B1

Bare Unit :
DCF922N-B1

10632560
CORDLESS WRENCH 20V
1/2IN DCF891P1T-B1



Model	DCF901P1G-QW	DCF921P1-B1	DCF922M2-B1	DCF891P1T-B1
Article	10643642	10643641	10630255	10632560
Voltage	12V	18/20V	18/20V	18/20V
Anvil Size & Style	1/2 IN & Hog Ring	1/2 IN & Hog Ring	1/2 IN & Detent Pin	1/2 IN & Hog Ring
No Load Speed	2.850 Rpm	2.500 Rpm	2.500 Rpm	2.000 Rpm
Impact Rate	3.250 lpm	3.550 lpm	3.550 lpm	3.250 lpm
Max Tightening Torque	338 Nm	406 Nm	406 Nm	812 Nm
Max. Breakaway Torque	542 Nm	650 Nm	650 Nm	1.084 Nm
Battery Include	1 Pcs x 5Ah	1 Pcs x 5Ah	2 Pcs x 4Ah	1 Pcs x 5Ah
Dimension (Tool Only)	133 x 197mm	171 x 210mm	128 x 207mm	171 x 210mm
Weight (Tool Only)	1.0 Kg	1.1 Kg	1.1 Kg	1.7 Kg



10629926
CORDLESS WRENCH 1/2IN
DCF892P2T-B1




10632712
CORDLESS WRENCH 20V
1/2IN DCF900P2T-B1

Bare Unit :
DCF900N-B1

10666315
CORDLESS WRENCH 20V
3/4IN DCF964H1T-KR

Bare Unit :
DCF964NT-KR

Model	DCF892P2T-B1	DCF900P2T-B1	DCF964H1T-KR
Article	10629926	10632712	10666315
Voltage	18/20V	18/20V	18/20V
Anvil Size & Style	1/2 IN & Detent Pin	1/2 IN & Hog Ring	3/4 IN & Hog Ring
No Load Speed	2.000 Rpm	2.300 Rpm	1.200 Rpm
Impact Rate	3.250 lpm	2.200 lpm	2.015 lpm
Max Tightening Torque	814 Nm	1.396 Nm	1.925 Nm
Max. Breakaway Torque	1.084 Nm	1.898 Nm	2.576 Nm
Battery Include	2 Pcs x 5Ah	2 Pcs x 5Ah	1 Pcs x 5Ah Powerstack
Dimension (Tool Only)	171 x 210mm	224 x 233mm	267 x 278mm
Weight (Tool Only)	1.7 Kg	2.8 Kg	5.6 Kg



COMBO KIT



10634409
CORDLESS COMBO 12V
DCK211D2T-B1



10634454
CORDLESS COMBO 12V
DCK211L2T-B1



Model	DCK211D2T-B1	DCK211L2T-B1
Article	10634409	10634454
Contains	1. DCF815-B1 (1 Pcs) 2. DCD710-B1 (1 Pcs) 3. DCB127-B1 (2 Pcs) 4. DCB1102-B1 (1 pcs) 5. T-STACK (1 Pcs)	1. DCD706 (1Pcs) 2. DCF801 (1Pcs) 3. DCB124 2 (Pcs) 4. DCB1104-B1 (1 Pcs) 5. T-STACK (1 Pcs)

COMBO KIT



10640421
CORDLESS COMBO 20V
DCK2214E2-B1



10634403
CORDLESS COMBO 20V
DCK2216P2T-B1



10634453
CORDLESS COMBO 20V
DCK2050P1E1T-B1



10634455
CORDLESS COMBO 20V
DCK2215P2T-B1

Model	DCK2214E2-B1	DCK2216P2T-B1	DCK2050P1E1T-B1	DCK2215P2T-B1
Article	10640421	10634403	10634453	10634455
Contains	1. DCF840-B1 (1 Pcs) 2. DCD709-B1 (1 Pcs) 3. DCBP034-B1 (2 Pcs) 4. DCB1104-B1 (1 Pcs) 5. Softbag (1 Pcs)*	1. DCD805-B1 (1 Pcs) 2. DCG409-B1 (1 Pcs) 3. DCB184-B1 (2 Pcs) 4. DCB1104-B1 (1 Pcs) 5. T-STACK (1 Pcs)	1. DCF850-B1 (1 Pcs) 2. DCD805-B1 (1 Pcs) 3. DCB184-B1 (1 Pcs) 4. DCBP034-B1 (1 Pcs) 5. DCB1104-B1 (1 Pcs) 6. T-STACK (1 Pcs)	1. DCD800-B1 (1 Pcs) 2. DCH172-B1 (1 Pcs) 3. DCB184-B1 (2 Pcs) 4. DCB1104-B1 (1 Pcs) 5. T-STACK (1 Pcs)

MULTIHEAD



10630227
CORDLESS MULTI HEAD 12V
DCD703D2-B1



Model	DCD703D2-B1
Article	10630227
Voltage	12 V
No Load Speed	425/ 1.500 Rpm
Max. Torque (Soft/ Hard)	25.5/ 57.5 Nm
Bit Holder Size	1/4 IN
Max. Drilling Cap. (Wood/ Metal)	20/ 10 mm
Battery Include	2 Pcs x 2.0 Ah
Dimension (Tool Only)	187 x 126 mm
Weight (Tool Only)	0,7 Kg

MULTITOOL



10634027
CORDLESS MULTITOOL 18V
DCS355D2-KR



Model	DCS355D2-KR
Article	10634027
Voltage	18/20V
No-Load Speed	0 - 20000 Opm
Oscillation Angle	1.6° left and right
Accessory Change System	Quick-Change
Battery Include	2 Pcs x 2.0 Ah
Dimension (Tool Only)	310 x 150mm
Weight (Tool Only)	1.1 kg

SANDER

HOT SALE



10644719
CORDLESS SANDER 20V
DCW210P2-KR



Model	DCW210P2-KR
Article	10644719
Voltage	18/20V
Orbits Per Minute	8.000 - 12.000 Opm
Pad (Ø)	125 mm
Orbit & Paper Size	2.6 & 125 mm
Battery Include	2 Pcs x 5.0 Ah
Dimension (Tool Only)	170 x 127 mm
Weight (Tool Only)	1,7 Kg

JIG SAW

HOT SALE



10640419
CORDLESS JIGSAW 20V
DCS334P2-KR



Model	DCS334P2-KR
Article	10640419
Voltage	18/20V
No Load Stroke Rate	3.200 Spm
Stroke Length	26 mm
Bevel Angle Adj.	Left 0° / Right 45°
Max. Cutting Depth in [Wood/ Steel/Alu.]	135 / 10 / 25 mm
Battery Include	2 Pcs x 5 Ah
Dimension (Tool Only)	305 x 215 mm
Weight (Tool Only)	2,1 kg

CIRCULAR SAW



10634560
CORDLESS CIRCULAR SAW
60V DCS578X2-KR



Model	DCS578X2-KR
Article	10634560
Voltage	54/60V
No Load Speed	5.800 Rpm
Blade Diameter	190 mm
Max. Depth of Cut at 90/ 45°	65/41 mm
Bevel Angle Adjustment	57°
Battery Include	2 Pcs x 9.0 Ah Flexvolt
Dimension (Tool Only)	391 x 300 x 280 mm
Weight (Tool Only)	4 kg

TRIMMER



10635026
CORDLESS TRIMMER 60V
DCMAS5713X1-B1



Model	DCMAS5713X1-B1
Article	10635026
Voltage	54/60V
Cutting Width/ Swathe	38 mm
Line Diameter	2.0 mm
Cutting Speed	5.100/ 5.500 Rpm
Variable Speed	Low / High
Battery Include	1 Pcs x 9.0 Ah Flexvolt
Dimension (Tool Only)	1050 x 190 x 180 mm
Weight (Tool Only)	5,5 Kg

Accessories sold separately :



10642387
BRUSH CUTTER F/
DCMAS5713X1 DCMASBC1N-XJ
• CE Mark : YES
• Material : Steel
• Cutting Width : 200 mm



10657288
POLE SAW F/DCMAS5713X1
DCMASP55N-XJ
• Max extension pole: 2.7 m
• Cutting Capacity: 15 cm



10640601
HEDGE TRIMMER F/
DCMAS5713X1 DCMASPH6N-XJ
• Blade Gap: 19 mm
• CE Mark: Yes
• Bar Length: 55 cm
• Packaging: Carton



10640429
STRINGTRIMMER F/
DCMAS5713X1 DCMASST1N-XJ
• Line/ string material: Nylon
• CE Mark: Yes

GRINDER



10632331
CORDLESS DIE GRINDER 18V
DCG426N-XJ



10632473
CORDLESS GRINDER 100MM
20V DCG409N-B1



10629140
CORDLESS GRINDER 100MM
20V DCG406N-KR



10632474
CORDLESS GRINDER 125MM
20V DCG409VSN-B1



10640609
CORDLESS GRINDER 125MM
20V DCG408N-B1



Model	DCG426N-XJ	DCG409N-B1	DCG406N-KR	DCG409VSN-B1	DCG408N-B1
Article	10632331	10632473	10629140	10632474	10640609
Voltage	18/20V	18/20V	18/20V	18/20V	18/20V
Max. Disc (Ø)	38 mm	100 mm	100 mm	125 mm	125 mm
No Load Speed	10000 - 25000 Rpm	9.000 Rpm	9.000 Rpm	3.000/ 9.000 Rpm	9.000 Rpm
Spindle Thread	6 mm Collet	M10 with Spindle Lock	M10 with Spindle Lock	M10 with Spindle Lock	M14 with Spindle Lock
Switch Type	Trigger	Slide	Paddle	Slide	Paddle
Dimension (Tool Only)	380 x 85 mm	310 x 82 x 99 mm	310 x 130 x 140 mm	326 x 83 x 99 mm	330 x 170 x 140 mm
Weight (Tool Only)	1.2 Kg	1.74 Kg	1.74 Kg	1.85 Kg	1.6 Kg

DRILL



10630264
CORDLESS FLATHEAD 125MM
GRINDER DCG405FN-KR



10640433
CORDLESS GRINDER 125MM
DCG416VSN-XJ



10634578
CORDLESS GRINDER 180MM
60V DCG440N-KR



Model	DCG405FN-KR	DCG416VSN-XJ	DCG440N-KR
Article	10630264	10640433	10634578
Voltage	18/20V	18/20V	54/60V
Max. Disc (Ø)	125 mm	125 mm	180 mm
No Load Speed	9.000 Rpm	3.000/ 9.000 Rpm	6.500 Rpm
Spindle Thread	M14 with Spindle Lock	M14 with Spindle Lock	M14 with Spindle Lock
Switch Type	Slide	Paddle	Trigger
Dimension (Tool Only)	380 x 110 mm	310 x 140 x 130 mm	138 x 87 mm
Weigh (Tool Only)	1.74 Kg	1.8 Kg	2.7 Kg



10632126
CORDLESS DRILL 12V
DCD701N-KR



Model	DCD701N-KR
Article	10632126
Voltage	12V
Max. Torque (Soft/ Hard)	25/ 57 Nm
No Load Speed	425/ 1.500 Rpm
Max. Drilling Capacity [Wood/ Metal]	20/ 10 mm
Dimension (Tool Only)	152 x 185 mm
Weight (Tool Only)	1 Kg

DRILL



10640532
CORDLESS DRILL DRIVER 20V
DCD801N-B1



10640588
CORDLESS IMPACT DRILL 20V
DCD806N-B1



10632125
CORDLESS DRILL 18V
DCD991NT-XJ



10666317
CORDLESS ANGLE DRILL 20V
DCD740N-XJ



10640599
CORDLESS STUD 20V
DCD444B



Model	DCD801N-B1	DCD806N-B1	DCD991NT-XJ	DCD740N-XJ	DCD444B
Article	10640532	10640588	10632125	10666317	10640599
Voltage	18/20V	18/20V	18/20V	18/20V	18/20V
Max. Torque (Soft/ Hard)	27/ 90 Nm	27/ 90 Nm	66/ 95 Nm	11/ 33 Nm	27/ 233 Nm
No Load Speed	2.000 Rpm	2.000 Rpm	2.000 Rpm	2.000 Rpm	1.250 Rpm
Max. Drilling Capacity [Wood/ Metal/ Masonry]	55/ 13/ - mm	55/ 13/ 13 mm	55/ 15/- mm	28/10 /- mm	102/- /- mm
Dimension (Tool Only)	162 x 165 mm	210 x 200 mm	200 x 208 mm	295 x 102 x 67 mm	415 x 173 mm
Weight (Tool Only)	1.28 Kg	1.34 Kg	1.5 Kg	1.3 Kg	4.1 Kg

DRILL



10640590
CORDLESS ANGLE DRILL 54V
DCD470N-XJ



10640555
CORDLESS MAGNETIC DRILL
20V DCD1623N-B1



Model	DCD470N-XJ	DCD1623N-B1
Article	10640590	10640555
Voltage	54/60V	18/20V
Max. Torque (Soft/ Hard)	269 Nm	49 Nm
No Load Speed	400/ 1.320 Rpm	420/ 810 Rpm
Max. Drilling Capacity [Wood/ Metal/Concrete]	172/ 13/152 mm	- / 50 / - mm
Tool Holder	13 mm Keyed Chuck	Flat Shank 19 mm
Dimension (Tool Only)	535 x 140 x 220 mm	740 x 550 x 200 mm
Weight (Tool Only)	7 Kg	14.4 Kg

ROTARY HAMMER



10634407
CORDLESS ROTARY
HAMMER 20V DCH133NT-B1



10634023
CORDLESS ROTARY HAMMER
20V DCH263KN-KR



Model	DCH133NT-B1	DCH263KN-KR
Article	10634407	10634023
Voltage	18/20V	18/20V
Impact Energy	2,6 J	3 J
Max. Drilling Capacity [Wood/ Metal/Concrete]	30/13/26 mm	30/13/28 mm
No Load Speed	0 - 1.500 Rpm	0-1.165 Rpm
Impact Rate	0 - 5.550 Bpm	0-4.300 Bpm
Dimension (Tool Only)	345 x 30 x 130 mm	404 x 84 x 187 mm
Weight (Tool Only)	2,1 Kg	2,7 Kg

IMPACT DRIVER



10640533
CORDLESS IMPACT DRIVER
12V DCF601N-KR



10634348
CORDLESS IMPACT DRIVER
12V DCF801N-KR



10634450
CORDLESS IMPACT DRIVER
20V DCF840N-B1



Model	DCF601N-KR	DCF801N-KR	DCF840N-B1
Article	10640533	10634348	10634450
Voltage	12V	12V	18/20V
Max. Torque	8 Nm	163 Nm	192 Nm
No Load Speed	0 - 1.100 Rpm	0 - 950 / 1.950 / 2.850 Rpm	0 - 3200 Rpm
Chuck Capacity	1/4 IN	1/4 IN	1/4 IN
Impact Rate	-	0 - 3600 lpm	0 - 4.200 lpm
Dimension (Tool Only)	121 x 184 mm	125 x 184 mm	130 x 184 mm
Weight (Tool Only)	0.9 Kg	0.8 Kg	1 Kg

BLOWER



10642321
CORDLESS BLOWER 18V
DCE100N-KR



Model	DCE100N-KR
Article	10642321
Voltage	20V Max
No Load Speed	0 - 18000 Rpm
Max. Air Speed	80 m/s
Dimension (Tool Only)	722 x 199 mm
Weight (Tool Only)	1.3 Kg

RATCHET



10634045
CORDLESS RATCHET WRENCH
12V DCF503EN-XJ



10643640
CORDLESS RATCHET 12V
3/8IN DCF503N-XJ



10634467
CORDLESS RATCHET WRENCH
18V DCF512N-XJ



10630371
CORDLESS RATCHET WRENCH
18V DCF510N-XJ



Model	DCF503EN-XJ	DCF503N-XJ	DCF510N-XJ	DCF512N-XJ
Article	10634045	10643640	10630371	10634467
Voltage	12 V	12 V	18/20V	18/20V
Anvil Style	3/8 IN	3/8 IN	3/8 IN & 1/2 IN	1/2 IN
No Load Speed	0-250 Rpm	0-250 Rpm	0-300 Rpm	0-250 Rpm
Max Torque.	81 Nm	81 Nm	102 Nm	95 Nm
Dimension (Tool Only)	430 x 79 mm	330 x 79 mm	381 x 75 x 75 mm	360 x 71 mm
Weight (Tool Only)	1 Kg	1 Kg	1.2 Kg	1.1 Kg

SANDER



10634465
CORDLESS BELT SANDER 18V
DCW220N-XJ



Model	DCW220N-XJ
Article	10634465
Voltage	18/ 20V
No Load Speed	198 - 320 Rpm
Sanding Belt Size (Ø)	75 x 533 mm
Dimension (Tool Only)	320 x 200 mm
Weight (Tool Only)	3.46 Kg

IMPACT WRENCH



10629148
CORDLESS WRENCH
3/8IN DCF902N-KR



10632562
CORDLESS WRENCH 20V
1/2IN DCF911N-B1



10632443
CORDLESS WRENCH 20V
1/2IN DCF961NT-KR



METAL CUTTER



10640593
CORDLESS METAL CUTTER
18V DCS373N-KR



Model	DCS373N-KR
Article	10640593
No Load Speed	0 - 3.700 Rpm
Max. Cutting Depth 90°	43 mm
Blade	140 x 20 mm
Dimension (Tool Only)	350 x 210 mm
Weight (Tool Only)	3.8 Kg

CIRCULAR SAW



10630372
CORDLESS CIRCULAR 115MM
20V DCS571N-KR



10640422
CORDLESS CIRCULAR SAW
12V DCS512N-XJ



10634463
CORDLESS CIRCULAR SAW
18V DCS391N-KR



10634559
CORDLESS CIRCULAR SAW
20V DCS570N-B1



Model	DCS571N-KR	DCS512N-XJ	DCS391N-KR	DCS570N-B1
Article	10630372	10640422	10634463	10634559
Voltage	18/20V	12 V	18/20V	18/20V
No Load Speed	4,500 Rpm	3,600 Rpm	5,150 Rpm	5,500 Rpm
Blade/ Bar Diameter	115 mm	140 mm	165 mm	184 mm
Max. Cutting Depth	39 mm	47 mm	54 mm	67 mm
Blade Bore	9.5 mm	20 mm	20 mm	220 mm
Bevel Angel	0-45°	0-50°	0-50°	0-57°
Dimension (Tool Only)	430 x 170 mm	292 x 173 mm	360 x 240mm	355 x 245mm
Weight (Tool Only)	2.5 kg	2.2 Kg	2.9 Kg	3.6 Kg

CHAIN SAW



10634558
CORDLESS CHAIN SAW 20V
DCCS623B



Model	DCCS623B
Article	10634558
Voltage	18/20V
Bar And Chain	8 IN
Chain Speed	8.6 M/S
Chain Pitch	3/8 IN
Dimension (Tool Only)	572 x 285 x 133 mm
Weight (Tool Only)	2.1 Kg

CUT OFF



10640597
CORDLESS CUT OFF 20V
DCS438B



10634464
CORDLESS CUT OFF 60V
DCS691N-KR



Model	DCS438B	DCS691N-KR
Article	10640597	10634464
Voltage	18/20V	54/60V
Blade Diameter x Bore	76mm x 10mm	230mm x 22.2mm
No-Load Speed	20,000 Rpm	6,600 Rpm
Max Cutting Depth	22 mm	83 mm
Spindle Thread	M10	M8
Dimension (Tool Only)	208 x 101mm	613 x 301mm
Weight (Tool Only)	1 Kg	5.7 Kg

BAND SAW



10640596
CORDLESS BANDSAW 18V
DCS377NT-XJ



10634461
CORDLESS BAND SAW 18V
DCS374N-KR



Model	DCS377NT-XJ	DCS374N-KR
Article	10640596	10634461
Voltage	18/20V	18/20V
No Load Speed	46-115 M/min	150 M/min
Max. Cutting on Pipe Ø	46 mm	120 mm
Max. Cutting on Steel	43 x 43 mm	127 x 120 mm
Dimension (Tool Only)	318 x 210 mm	630 x 210 mm
Weight (Tool Only)	3 Kg	5.6 Kg

DUST EXTRACTOR



10634643
CORDLESS DUST EXTRACTOR
18V DWH161N-XJ



10642386
CORDLESS DUST EXTRACTOR
20V DCV501LN-B1



10642320
CORDLESS DUST EXTRACTOR
18V DCV584L-QW



10642646
CORDLESS DUST EXTRACTOR
DCV586MN-XJ



Model	DWH161N-XJ	DCV501LN-B1	DCV584L-QW	DCV586MN-XJ
Article	10634643	10642386	10642320	10642646
Voltage	18/20V	18/20V	18/20V	54/60V
Tank Capacity	0.21 L	0.7L	7.5 L	11 L
Hose Length	1m	0.6 m	2.0 m	2.5 m
Hose Diameter	26 mm	32 mm	32 mm	32 mm
Max. Air Flow	9 L/s	21.7 L/s	15.9 L/s	24.7 L/s
Wet/Dry	Dry Only	Dry Only (L-Class)	Wet & Dry	Wet 7.5L/ Dry 11L
Dimension (Tool Only)	203 x 95 x 242 mm	254 x 127 x 127mm	430 x 305 x 330 mm	551 x 327 x 323 mm
Weight (Tool Only)	1.7 Kg	1.5kg	4.8 Kg	8 Kg

RECIPROCATING SAW



10634460
CORDLESS RECIPROCATING
SAW 12V DCS312N-KR



10640417
CORDLESS RECIPROCATING
SAW 20V DCS369N-KR



10634462
CORDLESS RECIPROCATING
SAW 18V DCS382N-XJ



Model	DCS312N-KR	DCS369N-KR	DCS382N-XJ
Article	10634460	10640417	10634462
Voltage	12V	18/20V	18/20V
No-Load Stroke Rate	2.800 Spm	2.800 Spm	0-3,200 Spm
Max. Cutting on [Wood - Steel - Plastic]	90- 40- 90 mm	90- 40- 90 mm	300 - 130 - 160 mm
Stroke Length	16 mm	16 mm	29 mm
Dimension (Tool Only)	308 x 122 mm	315 x 68 x 136 mm	393 x 142 x 174 mm
Weight (Tool Only)	1.4 Kg	1.4 Kg	2.3 Kg

PLANER



10634458
CORDLESS PLANER 18V
DCP580N-KR



Model	DCP580N-KR
Article	10634458
Voltage	18/20V
No Load Speed	15,000 Rpm
Planing Width	82 mm
Planing Depth	2 mm
Rebating Depth	9 mm
Shoe Material	Cast aluminum with precision machining
Dimension (Tool Only)	370 x 295 mm
Weight (Tool Only)	2.5 kg



JIG SAW



10640595
CORDLESS BARREL GRIP JIG
SAW 20V DCS335B



10630261
CORDLESS JIG SAW
DCS331N-KR



Model	DCS335B	DCS331N-KR
Article	10640595	10630261
Voltage	18/20V	18/20V
No-Load Stroke Rate	0 - 3,200 Spm	0 - 3,000 Spm
Stroke Length	26 mm	26 mm
Bevel Capacity	45°	45°
Max. Cutting Capacity of [Wood/ Al/ Steel]	135/ 25/ 13 mm	135/ 25/ 10 mm
Dimension (Tool Only)	289 x 95 x 208 mm	305 x 215mm
Weight (Tool Only)	2 Kg	2.4kg

HEDGE TRIMMER



10640594
CORDLESS HEDGE TRIMMER
60V DCMHT573N-KR



Model	DCMHT573N-KR
Article	10640594
Voltage	54/60V
No-Load Stroke Rate	0 - 1700 Spm
Max. Cutting Capacity	31 mm
Blade Length	65 cm
Blade Break	< 1sec
Dimension (Tool Only)	1.140 x 235 x 245 mm
Weight (Tool Only)	4.1kg

PLUNGE SAW



10640547
CORDLESS PLUNGE SAW
54V DCS520NT-XJ



Model	DCS520NT-XJ
Article	10640547
Voltage	54/60V
Blade Diameter	165 mm
Blade Bore	20 mm
Bevel Capacity	47°
No Load Speed	2500 - 4200 Rpm
Max. Depth of Cut at 40° / 90°	44 / 59 mm
Dimension (Tool Only)	303 x 265 mm
Weight (Tool Only)	4,7 kg

LED LIGHT

HOT SALE



10642645
LED HANDHELD AREA
LIGHT 20V DCL050-XJ



10642385
CORDLESS TRIPOD
LIGHT 20V DCL079B



Model	DCL050-XJ	DCL079B
Article	10642645	10642385
Voltage	18/20V	18/20V
Bulb Type	LED	LED
Mode	2 Light Setting	3 Light Setting
Max. Brightness	300-1.000 lumens	3.000 – 4.000 lumens
Runtime	22 hours (5.0Ah battery)	8.5 hours at 3.000 lm (5.0Ah battery)
Pivoting Head	140° swivel	Telescopic + 360° rotating hook
Rotating Hook	Adjustable tripod head	No hook (tripod-mounted)
Dimension (Tool Only)	219 × 68 × 194 mm	1032 × 256 × 256 mm
Weight (Tool Only)	0.65 kg	7.3 Kg



WALL CHASER



10634459
CORDLESS WALL CHASER 54V
DCG200NT-XJ



Model	DCG200NT-XJ
Article	10634459
Voltage	54/60V
No Load Speed	9.000 Rpm
Blade Diameter x Bore	125mm x 22.23mm
Max Blade Thickness	3 mm
Depth of Cut	32mm of Cut, 35mm Groove
Spindle Diameter	14 mm
Dimension (Tool Only)	420 × 200 × 220 mm
Weight (Tool Only)	3.7 Kg



INFLATOR

HOT SALE



10634645
CORDLESS TYRE INFLATOR
18V DCC018N-XJ



DRYWALL CUT OUT TOOL



10640420
CORDLESS DRYWALL CUT OUT
20V DCE555B



Model	DCC018N-XJ
Article	10634645
Voltage	18/20V
Max. Pressure	160 Psi
Operating Temperature Range	-18 / +40 °C
Dimension (Tool Only)	330 × 140 × 280 mm
Weight (Tool Only)	2.3 Kg

Model	DCE555B
Article	10640420
Voltage	18/20V
No Load Speed	26.000 Rpm
Collect Size	1/8 IN, 5/32 IN, 1/4 IN
Dimension (Tool Only)	241 × 89 × 264 mm
Weight (Tool Only)	0.73 Kg

HEAT GUN



10640424
CORDLESS HEAT GUN 18V
DCE530N-KR



Model	DCE530N-KR
Article	10640424
Voltage	18/20V
Temperature Setting	Low 290 °C / High 530 °C
Lock-on Button	Yes
Air Flow	109/ 190 L/Min
Dimension (Tool Only)	161 × 85 × 195 mm
Weight (Tool Only)	0.5 Kg

MITRE SAW



10640540
CORDLESS MITRE SAW 60V
DCS781B



Model	DCS781B
Article	10640540
Voltage	54/60V
Blade Size	305 mm
No Load Speed	3,800 Rpm
Cut Cap. at 90° (mm)	330 width, 203 vertical
Bevel Range	49° Left / 49° Right
Miter Range	50° Left / 60° Right
Dimension (Tool Only)	775 × 495 × 450 mm
Weight (Tool Only)	24 kg

POLISHER



10630260
CORDLESS ANGLE POLISER
125MM DCM848N-XJ



10634048
CORDLESS POLISER 18V
DCM849N-XJ



Model	DCM848N-XJ	DCM849N-XJ
Article	10630260	10634048
Voltage	18/20V	18/20V
No Load Speed	2.000 - 5.500 Rpm	800 - 2.200 Rpm
Max. backing pad diameter	125 mm	180 mm
Dimension (Tool Only)	431 × 170 × 144 mm	401 × 122 × 146 mm
Weight (Tool Only)	2.2 Kg	2.9 Kg

JOINTER



10640418
CORDLESS JOINTER 18V
DCW682N-XJ



Model	DCW682N-XJ
Article	10640418
Voltage	18/20V
No Load Speed	8.000 Rpm
Saw Blade Diameter	100 mm
Max. Depth of Cut	20 mm
Arbor Size	7/8"
Bevel Capacity	0-90°
Dimension (Tool Only)	330 × 160 × 130 mm
Weight (Tool Only)	2,5 Kg

GREASE GUN

HOT SALE



10642319
CORDLESS GREASE GUN 20V
DCGG571B



Model	DCGG571B
Article	10642319
Voltage	18/20V
Max. Capacity Pressure	Up to 10,000 Psi
Cartridge Cap	14.5 Oz
Bulk Capacity	16.0 Oz
Max Flow	5.0 Oz/ minutes
Hose Length	42 IN
Dimension (Tool Only)	520 × 110 × 240 mm
Weight (Tool Only)	3.6 Kg

MULTI TOOL



10644716
CORDLESS MULTI TOOL 12V
DCS353NT-XJ



10644717
CORDLESS MULTI TOOL 18V
DCS356NT-XJ



Model	DCS353NT-XJ	DCS356NT-XJ
Article	10644716	10644717
Voltage	12 V	18/20V
No Load Speed	18,000 Opm	20,000 Opm
Vibration	9.9 m/s ²	12.4 m/s ²
Accessories	25 Pcs incl. guide, pad	35 pcs incl. same + more blades
Dimension (Tool Only)	310 x 122 x 230 mm	330 x 127 x 248 mm
Weight (Tool Only)	0.84 Kg	1.1 Kg

TABLE SAW



10634028
CORDLESS TABLE SAW 54V
DCS7485N-XJ



Model	DCS7485N-XJ
Article	10634028
Voltage	54/60V
No Load Speed	0-5800 Rpm
Blade (Ø) / Bar Diameter (Ø)	216 mm / 25.4mm
Max Angle Bevel/ Miter	-2° to 47°/-60° to 60°
Max. Depth of Cut at 45°/90°	47 / 68 mm
Table Size	485 x 485 mm
Dimension (Tool Only)	605 x 605 x 330 mm
Weight (Tool Only)	21 Kg

MOWER



10634536
CORDLESS MOWER 60V
DCMWSP550N-KR



Model	DCMWSP550N-KR
Article	10634536
Voltage	54/60 V
Max. Cutting Capacity	53 cm
Bag Capacity	67 L
Cutting Height Settings	25/ 41/ 56/ 71/ 86/ 102 mm
Dimension (Tool Only)	980 x 600 x 380 mm
Weight (Tool Only)	30 Kg

STRING TRIMMER



10630226
CORDLESS STRING TRIMMER 20V
DCMST561N-B1



BANDFILE



10644715
CORDLESS BANDFILE 20V
DCM200N-KR



Model	DCMST561N-B1
Article	10630226
Voltage	18/20V
No Load Speed	0-4600/0-6000 Rpm
Cutting Length	35 cm
Line Diameter	2.0 mm
Boom	Foldable
Dimension (Tool Only)	330 x 150 x 990 mm
Weight (Tool Only)	3.5 Kg

Model	DCM200N-KR
Article	10644715
Voltage	18/20V
No Load Speed	0 - 1.700 Rpm
Sanding Belt Size	1/2 IN x 18IN
Dimension (Tool Only)	145 x 300 x 300 mm
Weight (Tool Only)	2.2 Kg

PRESSURE WASHER



10634541
CORDLESS PRESSURE
WASHER DCMWP1600N-KR



Model	DCMPW1600N-KR
Article	10634541
Voltage	18/20V
Motor Type	Brushless
Working Max. Pressure	165 Bar
Max. Water Flow	5.5 Liters/Minute
Average Water Flow	4.5 Liters/Minute
Pressure Mode	Low/ High/ Boost
Internal Storage	Yes
Dimension (Tool Only)	500 x 400 x 790 mm
Weight (Tool Only)	10.9 Kg

RIVETER GUN



10640414
CORDLESS RIVETER 18V
DCF403NT-XJ



Model	DCF403NT-XJ
Article	10640414
Voltage	18/20V
Rivet Eye Diameter	2.4 - 4.8 mm
Rivet Nozzle Size	2.4, 3.2, 4.0, 4.8 mm
Stroke Length	25 mm
Dimension (Tool Only)	268 x 120 x 220 mm
Weight (Tool Only)	1.6 Kg

HEAT GUN



10634564
HEAT GUN 1800W D26411-B1



10630208
HEAT GUN 2000W LCD
DISPLAY D26414-B1



Model	D26411-B1	D26414-B1
Article	10634564	10630208
Power Input	1.800 W	2.000 W
Temperature	50 - 600 °C	50 - 600 °C
Air Flow	250 - 450 L/Min	250 - 650 L/Min
Diameter Nozzle (Ø)	22 mm	22 mm
Dimension (Tool Only)	253 x 110 x 210 mm	265 x 110 x 210 mm
Weight (Tool Only)	0.80 Kg	0.85 Kg

POLISHER



10634470
ANGLE POLISHER 180MM
DWP849X-B1



Model	DWP849X-B1
Article	10634470
Power Input	1.250 W
Max. Disc (Ø)	180 mm
No Load Speed	0 - 600/ 0 - 3.500 Rpm
Spindle Thread	M14
Switch Type	Trigger
Dimension (Tool Only)	530 x 180 x 150 mm
Weight (Tool Only)	3 Kg

ROUTER



10640538
CORDLESS ROUTER 18V
DCW600N-XJ



Model	DCW600N-XJ
Article	10640538
Voltage	18/20V
No Load Speed	16.000 - 25.500 Rpm
Collet Size	6.35 - 8 mm
Router Carriage Stroke	55 mm
Max. Cutter Diameter	30 mm
Dimension (Tool Only)	120 x 120 x 180 mm
Weight (Tool Only)	1.54 Kg

CHARGER



10634476
CHARGER 10.8-18V
DCB107-B1



10634692
CHARGER 12-20V COMPACT
DCB1102-B1



10630369
BATTERY CHARGER
DCB1104-B1



10642129
FAN COOLED FAST CHARGER
20V DCB118-KR



10642358
CHARGER MULTIVOLTAGE
DCB104-QW



10642263
CHARGER USB 18V
DCB094K-QW

Model	DCB107-B1	DCB1102-B1	DCB1104-B1	DCB118-KR	DCB104-QW	DCB094K-QW
Article	10634476	10634692	10630369	10642129	10642358	10642263
Tool Compatibility	12V Max - 20V Max			18V, 20V, 54V, and 60V Max	12 V Max, 20V Max, 60V Max	20V Max
Charger Current	1.25 Amp	2 Amp	4 Amp	8 Amp	8 Amp (In Each 4 Ports)	5 Amp
Dimension	128 x 114x 65 mm	72 x 65 x 57 mm	150 x 114 x 67 mm	191 x 114 x 84 mm	528 x 320 x 102 mm	200 x 50 x 121 mm
Weight	0.4 Kg	0.3 Kg	0.46 Kg	0.65 Kg	2.8 Kg	0.45 Kg

BATTERY



10630262
BATTERY 12V LI-ION
DCB127-KR



10642124
BATTERY PACK 12V 3.0AH
DCB124-B1



10642356
BATTERY PACK 12V 5.0AH
DCB126G-B1



10642357
BATTERY PACK POWERSTACK
1.7AH DCBP034-B1



10642262
BATTERY PACK POWERSTACK
5.0AH DCBP520-B1



10630263
BATTERY 20V LI-ION
DCB183-KR



10634691
BATTERY PACK 18V 4.0AH
DCB182-B1



10634694
BATTERY PACK 18V 5.0 AH XR
DCB184-KR



10642127
BATTERY PACK 20V 5.0AH
DCB184G-B1



Model	DCB127-KR	DCB124-B1	DCB126G-B1	DCB183-KR	DCB182-B1	DCB184-KR	DCB184G-B1	DCBP034-B1	DCBP520-B1
Article	10630262	10642124	10642356	10630263	10634691	10634694	10642127	10642357	10642262
Tool Compatibility	12V			18V / 20V				18V / 20V	
Oil Resistance	No	No	Yes	No	No	Yes	Yes	No	No
Battery Capacity	2 Ah	3 Ah	5 Ah	2 Ah	4 Ah	5 Ah	5 Ah	1.7 Ah	5 Ah
Dimension	90 x 65 x 49mm	90 x 65 x 49mm	90 x 65 x 70mm	115 x 79 x 48mm	115 x 80 x 68mm			107 x 65 x 50 mm	132 x 85 x 64 mm
Weight	0.2 Kg	0.4 Kg	0.5 Kg	0.4 Kg	0.6 Kg	0.6 Kg	0.6 Kg	0.3 Kg	0.6 Kg



10642355
BATTERY PACK FLEXVOLT 60V
6AH DCB606-B1



10634475
BATTERY FLEXVOLT 20V-60V
9AH DCB609G-B1



10642125
BATTERY PACK FLEXVOLT 60V
9AH DCB609-B1



10642259
BATTERY PACK FLEXVOLT 60V
12AH DCB612-B1

Model	DCB606-B1	DCB609-B1	DCB609G-B1	DCB612-B1
Article	10642355	10642125	10634475	10642259
Tool Compatibility	20V Max, 60V Max			
Battery Chemistry	Lithium Ion			
Oil resistance	No	No	Yes	No
Battery Capacity	6,0 Ah	9,0 Ah	9,0 Ah	12 Ah
Dimension	123 x 82 x 91 mm	138 x 86 x 98 mm		
Weight	1,04 Kg	1,5 Kg		



COMPATIBILITY TO THE CORE

FLEXVOLT batteries work with your existing 20V MAX[®] tools and deliver 60V MAX[®] power.



20V LITHIUM ION PARALLEL MODE =

6X RUNTIME



60V LITHIUM ION SERIES MODE =

POWER



GRINDER



Model	DWE886P-B1	DW810B-B1	DWE750S-B1	DWE750T-B1	DWE8200PL-B1	DWE4118-B1
Article	10640434	10640546	10634580	10630207	10640606	10634579
Max. Disc (Ø)	25 mm	100 mm	100 mm	100 mm	100 mm	100 mm
Power Input	400 W	710 W	750 W	750 W	850 W	950 W
No Load Speed	25.000 Rpm	11.000 Rpm	12.000 Rpm	12.000 Rpm	12.000 Rpm	3.000 - 11.000 Rpm
Spindle Thread	6 mm Collet	M10 with Lock Spindle				
Switch Type	Paddle	Toggle	Slide	Toggle	Paddle	Slide
Dimension (Tool Only)	356 x 65 mm	300 x 65 mm	300 x 60,5 mm (173 mm girth ultra slim housing)	296 x 57 mm	270 x 80 mm	270 x 80 mm
Weight (Tool Only)	1,65 Kg	1,8 Kg	1,79 Kg	1,75 Kg	1,4 Kg	1,4 Kg




Model	DWE8300S-B1	DWE8210PL-B1	DW830-B1	DWE493-B1	DWE492-B1
Article	10640605	10634491	10640607	10632470	10632472
Max. Disc (Ø)	100 mm	125 mm	125 mm	180 mm	230 mm
Power Input	1.010 W	850 W	1.400 W	2.200 W	2.200 W
No Load Speed	11.500 Rpm	12.000 Rpm	10.000 Rpm	8.500 Rpm	6.500 Rpm
Spindle Thread	M10 with Lock Spindle	M14 with Lock Spindle	M14 with Lock Spindle	M14 with Lock Spindle	M14 with Lock Spindle
Switch Type	Slide	Paddle	Trigger	Trigger	Trigger
Dimension (Tool Only)	270 x 80mm	308 x 60 mm	385 x 115 mm	484 x 151 mm	490 x 151 mm
Weight (Tool Only)	1,9 Kg	1,95 Kg	3,1 Kg	5,1 Kg	5,1 Kg

CUT OFF MACHINE



Model	D28720-B1	D28730-B1
Article	10634025	10640545
Max. Disc (Ø)	355 mm	355 mm
Power Input	2.200 W	2.300 W
No Load Speed	3.800 Rpm	3.800 Rpm
Cable Length	2 m	2 m
Blade Diameter	14 IN	14 IN
Angle Range	45°	45°
Dimension (Tool Only)	470 x 410 mm	470 x 410 mm
Weight (Tool Only)	17,5 Kg	17,5 Kg



DRILL



10629137
ROTARY DRILL 10MM 550W
DWD014-B1



10629138
IMPACT DRILL 13MM 650W
DWD024K-B1



Model	DWD014-B1	DWD024K-B1
Article	10629137	10629138
Power Input	550 W	650 W
Chuck Capacity	1.5 – 10 mm (keyed)	1.5 – 13 mm (keyed)
No-Load Speed	0 – 2,800 Rpm	0 – 2,800 Rpm
Blows per Minute	-	0 – 47,600 Bpm
Max. Drilling Capacity [Wood/ Metal/ Concrete]	25/ 10 mm	25/ 13/ 16 mm
Dimension (Tool)	207 × 181 mm	255 × 180 mm
Weight (Tool Only)	1.3 Kg	1.8 Kg

MAGNETIC DRILL



10640543
MAGNETIC DRILL 50MM
DWE1622K-B1



Model	DWE1622K-B1
Article	10640543
Power Input	1200 W
No-Load Speed	300 / 450 Rpm
Max Cutting Capacity Ø	50 mm
Stroke / Drill Travel	112 mm
Chuck Compatibility	3/4" Weldon shank & 1/2" keyed chuck
Overload Protection	Yes
Magnetic Base Size / Force	180 × 84 mm/ holds up to 3,800 N
Dimension (Tool)	560 × 178 × 483 mm
Weight (Tool Only)	14.55 Kg

DUST EXTRACTOR



10635044
DUST EXTRACTOR 30L
DWV901L-QS



Model	DWV901L-QS
Article	10635044
Power Input	1,400 W
Tank Capacity	30 L
Hose Length	4.0 meters
Hose Diameter	32 mm
Max Airflow	3,650 L/min
Max Pressure	198 mbar
Wet/Dry Use	Yes
Dimension (Tool)	500 x 470 x 530 mm
Weight (Tool Only)	9.5 Kg

HAMMER



10640542
ROTARY HAMMER 22MM 2KG
D25033K-B1



10640425
ROTARY HAMMER 26MM 2KG
D25133K-B1



10634404
ROTARY HAMMER 28MM
D25143KA-B1



10634347
ROTARY HAMMER 28MM
D25144KA-B1



10640531
COMBINATION HAMMER
40MM 5KG D25481K-B1



Model	D25033K-B1	D25133K-B1	D25143KA-B1	D25144KA-B1	D25481K-B1
Article	10640542	10640425	10634404	10634347	10640531
Power Input	710 W	800 W	900 W	900 W	1.050 W
No Load Speed	0 - 1.550 Rpm	0 - 1.500 Rpm	0 - 1.450 Rpm	0-1.450 Rpm	0-540 Rpm
Impact Rate	0 - 5.680 Bpm	0 - 5.500 Bpm	0 - 5.350 Bpm	0-5.350 Bpm	3.150 Bpm
Impact Energy	2J	3 J	3 J	3.2 J	6 J
Bit Holder	SDS-Plus	SDS-Plus	SDS-Plus	SDS-Plus	SDS-Max
Max. Drilling Capacity (Wood/ Steel/ Concrete)	30/ 13/ 22 mm	30/ 13/ 26 mm	30/ 13/ 28 mm	30/ 13/ 28 mm	35/ 16/ 40 mm
Active Vibration Control	No	No	No	No	Yes
Dimension (Tool)	330 x 210mm	335 x 210mm	340 x 210mm	360 x 210mm	544 x 292mm
Weight (Tool Only)	2,5 Kg	2,6 Kg	3,1 Kg	3,1 Kg	5,9 Kg



10640426
DEMOLITION HAMMER 5KG
1050W D25811K-B1



10634406
COMBINATION HAMMER
48MM 8KG D25733K-B1



10640598
DEMOLITION HAMMER 11KG
1700W D25911K-B1



10640544
DEMOLITION HAMMER 28KG
2100W D25981K-QS




Model	D25811K-B1	D25733K-B1	D25911K-B1	D25981K-QS
Article	10640426	10634406	10640598	10640544
Power Input	1.050 W	1.600 W	1.700 W	2.100 W
No Load Speed	-	177-355 Rpm	-	-
Impact Rate	3.150 Bpm	1.350-2.705 Bpm	810 - 1.620 Bpm	960 Bpm
Impact Energy	7,1 J	13 J	27 J	62 J
Bit Holder	17 mm-HEX	SDS-Max	SDS-Max	28 mm HEX
Chisel Positions	12	Concrete drilling up to 48 mm (plus chiseling)	12	1
Vibration Levels	8.5m/s	9.6m/s ²	6 m/s ²	4.8m/s
Dimension (Tool)	478 x 263mm	544 x 292mm	765 x 296mm	780 x 620mm
Weight (Tool Only)	5.7kg	8 Kg	11 Kg	28 Kg

MITRE SAW



10640428
MITRE SAW 250MM
DWS727-QS



10634044
MITRE SAW 300MM
DWS780-KR



MULTITOOL



10644720
MULTITOOL DWE315K-B1



CIRCULAR SAW



10634031
CIRCULAR SAW 184MM
DWE5615-B1



Model	DWS727-QS	DWS780-KR
Article	10640428	10634044
Power Input	1.675 W	1.675 W
Blade (Ø) x Bore (Ø)	250 x 30 mm	305 x 30 mm
No Load Speed	4.000 Rpm	3.800 Rpm
Miter (max. positions)	left 50° / right 60°	left 50° / right 60°
Bevel (max. positions)	left 49° / right 49°	left 49° / right 49°
Max. Cutting Capacity (90°)	305 x 77 mm	349 mm x 112 mm
Max. Cutting Capacity (45°)	210 x 50 mm	244 mm x 56 mm
Dimension (Tool Only)	770 x 480 x 460 mm	770 x 470 x 396 mm
Weight (Tool Only)	22 kg	25.5 kg

Model	DWE315K-B1
Article	10644720
Power Input	300 W
Oscillations Per Minute	0 - 20,000 Opm
Oscillating Angle	1.6°
Quick-Change	Yes
Dimension (Tool Only)	330 x 127 x 248 mm
Weight (Tool Only)	1.4 kg

Model	DWE5615-B1
Article	10634031
Power Input	1.500 W
No Load Speed	5.500 Rpm
Blade (Ø) / Bore Diameter (Ø)	184 mm / 20 mm
Max Depth of Cutting 90°	65 / 68 mm
Max Depth of Cutting 45°	46 / 48 mm
Dimension (Tool Only)	290 mm x 185 mm
Weight (Tool Only)	4 Kg

ORBITAL SANDER



10644721
ORBITAL SANDER
DWE6423-B1



PALM SANDER



10644722
PALM SANDER
DWE6411-B1



ELECTRIC PLANER



10640427
ELECTRIC PLANER
D26676-B1



BLOWER



10666318
VARIABLE SPEED BLOWER
DWB6800-B1



Model	DWE6423-B1
Article	10644721
Power Input	230 W
No Load Speed	8,000 - 12,000 Opm
Pad Size	125 mm
Orbit Size	2.6 mm
Dimension	170 x 125 x 140 mm
Weight (Tool Only)	1.28 Kg

Model	DWE6411-B1
Article	10644722
Power Input	230 W
No Load Speed	14,000 Opm
Orbit Size	1.6 mm
Pad Size	108 x 115 mm
Dimension	160 x 120 x 135 mm
Weight (Tool Only)	1.3 Kg

Model	D26676-B1
Article	10640427
Power Input	550 W
Max Depth of Cut	1.5 mm
Rebating Depth	9 mm
Planer Width	82 mm
Shoe Length	96 mm
Dimension	230 x 80 x 190 mm
Weight (Tool Only)	2.6 Kg

Model	DWB6800-B1
Article	10666318
Electrical power	800W
Wind Volume	4.5 m³/min
No-Load Speed	0 - 16,000 Rpm
Speed Control	5 variables
Dimension	330 x 185 x 180 mm
Weight (Tool Only)	1.8 kg

TABLE SAW



10640430
TABLE SAW
DWE7470-B1



10634561
TABLE SAW 250MM
DWE7492-KR



THICKNESS PLANER



10640604
THICKNESS PLANER DW735-KR



Accessories available :
10642094



Model	DWE7470-B1	DWE7492-KR
Article	10640430	10634561
Power Input	1.800 W	2.000 W
No Load Speed	5,000 Rpm	4800 Rpm
Saw Blade Diameter	254 mm	254 mm
Miter Angle	45° L & R	30-90°
Max. Cutting Depth 90	76.2 mm	77 mm
Max. Cutting Depth 45	63.5 mm	55 mm
Max. Cutting Width	12.7 mm	12.7 mm
Dimension (Tool Only)	750 x 640 x 340 mm	680 x 650 x 330mm
Weight (Tool Only)	21 Kg	26.5kg

Model	DW735-KR
Article	10640604
Electric Power Input	2,200 W
No Load Speed	10,000 Rpm
Max. Depth of Cut	3 mm
Depth Capacity	150 mm
Width Capacity	330 mm
Dimension (Tool Only)	610 x 560 x 460 mm
Weight (Tool Only)	41 Kg

JIG SAW



10629139
JIGSAW 650W DWE349-B1



Accessories available :
10634601 & 10634602



Model	DWE349-B1
Article	10629139
Power Input	650 W
No Load Stroke Rate	500 - 3.200 Spm
Stroke Length	20 mm
Bevel Capacity	45°
Max. Cutting [Wood, Al, Steel, Non-Alloy Metal]	85 / 20/5 / 10 mm
Dimension (Tool Only)	200 x 100 x 200 mm
Weight (Tool Only)	2.4 Kg

STORAGE



10634582
TOOL BOX TOUGHSYSTEM
DWST08165

10634498
TOOL BOX TOUGHSYSTEM
DWST08300

10634720
TOOL BOX TOUGHSYSTEM
DWST08450



HOT SALE



10634547
CORDLESS LIGHT TOUGHSYSTEM
DWST08061-8



10635056
TOOL BAG 22IN TOUGHSYSTEM
DWST83522-1

HOT SALE



10635162
TOOL BAGPACK
DWST560102-dw100



Model	DWST08165	DWST08300	DWST08450
Article	10634582	10634498	10634720
Dimensions	550 x 370 x 170 mm	550 x 360 x 310 mm	508 x 290 x 310 mm
Weight	50 Kg		
Capacity			
IP Rating	Ip65		

Model	DWST08061-8
Article	10634547
Voltage	18/20V
Bulb Type	LED
Light Output	Up to 4.000 Lumens
Runtime	3 Hours (5Ah Battery)
Dimension	400 x 300 x 360 mm
Weight	1.5 Kg

Model	DWST83522-1	DWST560102-dw100
Article	10635056	10635162
Capacity	56 L	-
Materials	1680 Denier	1680 Denier
Pockets	Over 50+	43 pcs / MAX 25 Kg
Dimension	565 x 380 x 333 mm	350 x 200 x 480 mm
Weight	3 Kg	2.5 Kg

TOOL FEATURES


The icons under each tool indicate the product features used throughout this catalogue

CORDLESS MODELS ONLY:

Battery capacity in
Amp Hours (Ah) :



Number of batteries supplied :



ALL MODELS:

	TWO MODE		BRUSH / SERVICE INDICATOR		PLUNGE ACTION		AIRLOCK SYSTEM
	THREE MODE		LOW VIBRATION SIDE HANDLE		GUIDE RAIL COMPATABLE		CORDED/CORDLESS
	DRILL DRIVER		SUSPENDED HANDLES		CROSS CUT POSITIONING SYSTEM		NO GAS REQUIRED
	TWO OR THREE SPEED SELECTOR		ANTI-VIBRATION FLOATING HANDLE		TOOL FREE ADJUSTMENT		TOOL CONNECT™ SYSTEM
	FORWARD AND REVERSE		ANTI-MASS SYSTEM		KEYLESS CHUCK		WIRELESS TOOL CONTROL
	CONSTANT SPEED		2-POSITION KEYLESS BLADE CLAMP		QUICK CHANGE CHUCK		CARRYING CASE
	ELECTRONIC VARIABLE SPEED CONTROL		3-POSITION KEYLESS SHOE		1/2" ANVIL		TSTAK® CASE
	IMPACT MECHANISM		4-POSITION KEYLESS BLADE CLAMP		3/4" ANVIL		DUST EJECTION SYSTEM
	SOFT START		PENDULUM BLADE ACTION		6.35 HEX		DUST EXTRACTION SYSTEM
	CLUTCH		HOOK & LOOP		SPINDLE LOCK		PERFORM PROTECT
	NO VOLT RELEASE SWITCH		PALM GRIP		LED		
			E-BRAKE				

Specifications, features, and materials may differ from the actual product sold. Colors, materials, and accessories are subject to change without notice.



Scan for Authorized Service Center